

accountservice

D-Bus interface for user account query and manipulation

runtime dependencies	libglib2 (Libraries/Other)
	libxcrypt (Libraries/Crypto)
	polkit (System tools)
	systemd (System tools)
make dependencies	shadow
	git (Development tools)
	docbook-xsl
	gtk-doc
	meson
	vala
	xmlto
	libglib2.0-dev
	libpolkit-gobject-1-dev
	libsystemd-dev
	intltool
gobject-introspection	

Pré requis

```
apt install gtk-doc intltool meson vala xmlto libglib2.0-dev libpolkit-gobject-1-dev libsystemd-dev gobject-introspection
```

Recette

```
mkdir /data/buildroot/package/accountsservice
cat > /data/buildroot/package/accountsservice/Config.in<< 'EOF'
config BR2_PACKAGE_ACCOUNTSSERVICE
    bool "accountsservice"
    depends on BR2_PACKAGE_LIBGLIB2
    depends on BR2_PACKAGE_POLKIT
    depends on BR2_PACKAGE_SYSTEMD
    depends on BR2_PACKAGE_LIBXCRYPT
    help
        D-Bus interface for user account query and manipulation
EOF

cat > /data/buildroot/package/accountsservice/accountsservice.mk<< 'EOF'
#####
####
#
```

```

# accountsservice
#
#####
####
ACCOUNTSSERVICE_VERSION = 0.6.50
ACCOUNTSSERVICE_SOURCE = $(ACCOUNTSSERVICE_VERSION).tar.gz
ACCOUNTSSERVICE_SITE =
https://github.com/freedesktop/accountsservice/archive/refs/tags
ACCOUNTSSERVICE_INSTALL_STAGING = YES

ACCOUNTSSERVICE_DEPENDENCIES = libglib2 polkit systemd libxcrypt

define ACCOUNTSSERVICE_BUILD_CMDS
    cd $(@D)/ && \
    cp /usr/share/gtk-doc/data/gtk-doc.make $(@D)/ && \
    cp /usr/share/intltool/Makefile.in.in $(@D)/po/ && \
    autoreconf -i && \
    PKG_CONFIG_PATH="$(STAGING_DIR)/lib/pkgconfig/" ./configure --
prefix=/usr \
    --sysconfdir=/etc \
    --localstatedir=/var \
    --enable-admin-group=adm \
    --disable-introspection \
    --disable-static && \
    CFLAGS="-I/usr/include/glib-2.0 -I/usr/lib/glib-2.0/include" make
endef

define ACCOUNTSSERVICE_INSTALL_STAGING_CMDS
    cd $(@D)/ && \
    make DESTDIR="$(STAGING_DIR)/" install
endef

define ACCOUNTSSERVICE_INSTALL_TARGET_CMDS
    cd $(@D)/ && \
    make DESTDIR="$(TARGET_DIR)/" install
endef

$(eval $(generic-package))
EOF

sed -i '/menu "Custom packages"/a source
"package/accountsservice/Config.in"' /data/buildroot/package/Config.in

```

From: <http://www.ouarte.garden/> - **dwndoc**

Permanent link: <http://www.ouarte.garden/doku.php?id=buildroot:accountsservice>

Last update: **2025/02/19 10:59**



