

kidletime

Monitoring user activity

runtime dependencies	qt5x11extras (Graphic libraries and applications/Other GUIs) libxss
make dependencies	extra-cmake-modules
	qt5tools
	qt5-doc
	extra-cmake-modules
	libqt5x11extras5-dev
	libxss-dev
	doxygen

```
apt install extra-cmake-modules libqt5x11extras5-dev libxss-dev doxygen
```

```
mkdir /data/buildroot/package/kidletime
cat > /data/buildroot/package/kidletime/Config.in<< 'EOF'
config BR2_PACKAGE_KIDLETIME
    bool "kidletime"
    depends on BR2_PACKAGE_QT5X11EXTRAS
    depends on BR2_PACKAGE_LIBXSS
    depends on BR2_PACKAGE_QT5TOOLS
    help
        Monitoring user activity
EOF

cat > /data/buildroot/package/kidletime/kidletime.mk<< 'EOF'
#####
#
# kidletime
#https://download.kde.org/stable/frameworks/5.95/kidletime-5.94.0.tar.xz
#####
KIDLETIME_VERSION = 5.94.0
KIDLETIME_SOURCE = kidletime-${KIDLETIME_VERSION}.tar.xz
KIDLETIME_SITE = https://download.kde.org/stable/frameworks/5.94

KIDLETIME_DEPENDENCIES = qt5x11extras libxss qt5tools
KIDLETIME_INSTALL_TARGET = YES
KIDLETIME_SUPPORTS_IN_SOURCE_BUILD = NO
KIDLETIME_CONF_OPTS = -
DCMAKE_TOOLCHAIN_FILE=$(HOST_DIR)/share/buildroot/toolchainfile.cmake \
    -DCMAKE_INSTALL_PREFIX=/usr

define KIDLETIME_CONFIGURE_CMDS
    if [[ ! -L "$(HOST_DIR)/usr/lib/libpcre.so.3" ]]; then ln -s
$(HOST_DIR)/usr/lib/libpcre.so $(HOST_DIR)/usr/lib/libpcre.so.3; fi
```

```
if [[ ! -d $(@D)/buildroot-build ]]; then mkdir $(@D)/buildroot-build; fi
cd $(@D)/buildroot-build && \
  LDFLAGS="$(LDFLAGS) -pthread -Wl,--as-needed -Wl,--allow-shlib-undefined"
cmake "$(@D)/" $(LXQT_CMAKE_CONF_OPTS)
endif

$(eval $(cmake-package))
EOF

sed -i '/menu "Custom packages"/a source "package/kidletime/Config.in"'
/data/buildroot/package/Config.in
```

From:

<http://www.ouarte.garden/> - **dwndoc**

Permanent link:

<http://www.ouarte.garden/doku.php?id=buildroot:kidletime>

Last update: **2025/02/19 10:59**

