

libqtxdg

libqtxdg user tools

runtime dependencies	qt5base (Graphic libraries and applications/Other GUIs)
	qt5svg (Graphic libraries and applications/Other GUIs)
make dependencies	qt5
	lxqt-build

```
mkdir /data/buildroot/package/libqtxdg
cat > /data/buildroot/package/libqtxdg/Config.in<< 'EOF'
config BR2_PACKAGE_LIBQTXDG
    bool "libqtxdg"
    depends on BR2_PACKAGE_QT5BASE
    depends on BR2_PACKAGE_QT5SVG
    help
        libqtxdg user tools
EOF

cat > /data/buildroot/package/libqtxdg/libqtxdg.mk<< 'EOF'
#####
#
# libqtxdg
#https://github.com/lxqt/libqtxdg/archive/refs/tags/3.9.1.tar.gz
#####
LIBQTXDG_VERSION = 3.9.1
LIBQTXDG_SOURCE = $(LIBQTXDG_VERSION).tar.gz
LIBQTXDG_SITE = https://github.com/lxqt/libqtxdg/archive/refs/tags

LIBQTXDG_DEPENDENCIES = qt5base qt5svg
LIBQTXDG_INSTALL_TARGET = YES
LIBQTXDG_SUPPORTS_IN_SOURCE_BUILD = NO
LIBQTXDG_CONF_OPTS = -
DCMAKE_TOOLCHAIN_FILE=$(HOST_DIR)/share/buildroot/toolchainfile.cmake \
    -DCMAKE_INSTALL_PREFIX=/usr \
    -DCMAKE_INSTALL_LIBDIR=lib \
    -DBUILD_DEV_UTILS=yes
define LIBQTXDG_CONFIGURE_CMDS
    if [[ ! -L "$(HOST_DIR)/usr/lib/libpcre.so.3" ]]; then ln -s
$(HOST_DIR)/usr/lib/libpcre.so $(HOST_DIR)/usr/lib/libpcre.so.3; fi
    if [[ ! -d $(@D)/buildroot-build ]]; then mkdir $(@D)/buildroot-build; fi
    cd $(@D)/buildroot-build && \
    LDFLAGS="$(LDFLAGS) -pthread -Wl,--as-needed -Wl,--allow-shlib-undefined"
    cmake "$(@D)/" $(LIBQTXDG_CONF_OPTS)
endef

$(eval $(cmake-package))
EOF
```

```
sed -i '/menu "Custom packages"/a source "package/libqtxdg/Config.in"'/data/buildroot/package/Config.in
```

From:

<http://www.ouarte.garden/> - **dwndoc**

Permanent link:

<http://www.ouarte.garden/doku.php?id=buildroot:libqtxdg>

Last update: **2025/02/19 10:59**

