

lxqt-openssh-askpass

LXQt openssh password prompt

runtime dependencies	liblxqt
make dependencies	lxqt-build-tools
	qt5tools

```
mkdir /data/buildroot/package/lxqt-openssh-askpass
cat > /data/buildroot/package/lxqt-openssh-askpass/Config.in<< 'EOF'
config BR2_PACKAGE_LXQT_OPENSSSH_ASKPASS
    bool "lxqt-openssh-askpass"
    depends on BR2_PACKAGE_LIBLXQT
    depends on BR2_PACKAGE_QT5TOOLS
    help
        LXQt openssh password prompt
EOF

cat > /data/buildroot/package/lxqt-openssh-askpass/lxqt-openssh-askpass.mk<<
'EOF'
#####
#
# lxqt-openssh-askpass
#https://github.com/lxqt/lxqt-openssh-askpass/archive/refs/tags/1.1.0.tar.gz
#####
LXQT_OPENSSSH_ASKPASS_VERSION = 1.1.0
LXQT_OPENSSSH_ASKPASS_SOURCE = $(LXQT_OPENSSSH_ASKPASS_VERSION).tar.gz
LXQT_OPENSSSH_ASKPASS_SITE =
https://github.com/lxqt/lxqt-openssh-askpass/archive/refs/tags

LXQT_OPENSSSH_ASKPASS_DEPENDENCIES = liblxqt qt5tools
LXQT_OPENSSSH_ASKPASS_INSTALL_TARGET = YES
LXQT_OPENSSSH_ASKPASS_SUPPORTS_IN_SOURCE_BUILD = NO
LXQT_OPENSSSH_ASKPASS_CONF_OPTS = -
DCMAKE_TOOLCHAIN_FILE=$(HOST_DIR)/share/buildroot/toolchainfile.cmake \
-Dlxqt_DIR=$(TARGET_DIR)/usr/share/cmake/lxqt \
-DQt5Xdg_DIR=$(TARGET_DIR)/usr/share/cmake/qt5xdg \
-DQt5XdgIconLoader_DIR=$(TARGET_DIR)/usr/share/cmake/qt5xdgiconloader \
-DKF5WindowSystem_DIR=$(TARGET_DIR)/usr/lib/cmake/KF5WindowSystem \
-Dlxqt-build-tools_DIR=$(TARGET_DIR)/usr/share/cmake/lxqt-build-tools \
-Dfm-qt_DIR=$(TARGET_DIR)/usr/share/cmake/fm-qt \
-DCMAKE_INSTALL_PREFIX=/usr

define LXQT_OPENSSSH_ASKPASS_CONFIGURE_CMDS
    if [[ ! -L "$(HOST_DIR)/usr/lib/libpcre.so.3" ]]; then ln -s
$(HOST_DIR)/usr/lib/libpcre.so $(HOST_DIR)/usr/lib/libpcre.so.3; fi
    if [[ ! -d $(@D)/buildroot-build ]]; then mkdir $(@D)/buildroot-build; fi
    cd $(@D)/buildroot-build && \
    LDFLAGS="$(LDFLAGS) -pthread -Wl,--as-needed -Wl,--allow-shlib-undefined"
```

```
cmake "$(@D)/" $(LXQT_OPENSSESSH_ASKPASS_CONF_OPTS)
endif

$(eval $(cmake-package))
EOF

sed -i '/menu "Custom packages"/a source "package/lxqt-openssh-askpass/Config.in"' /data/buildroot/package/Config.in
```

From:
<http://www.ouarte.garden/> - **dwndoc**

Permanent link:
<http://www.ouarte.garden/doku.php?id=buildroot:lxqt-openssh-askpass>

Last update: **2025/02/19 10:59**

