

# marked-man

Wrapper adding manpage output to 'marked', inspired by 'ronn'

<b>runtime dependencies</b>	nodejs (Interpreter languages and scripting) marked (Custom)
<b>make dependencies</b>	npm

```

mkdir /data/buildroot/package/marked-man
cat > /data/buildroot/package/marked-man/Config.in<< 'EOF'
config BR2_PACKAGE_MARKED_MAN
    bool "marked-man"
    depends on BR2_PACKAGE_NODEJS_GIT
    depends on BR2_PACKAGE_MARKED
    help
        Wrapper adding manpage output to 'marked', inspired by 'ronn'
EOF

cat > /data/buildroot/package/marked-man/marked-man.mk<< 'EOF'
#####
#
# marked-man
# https://github.com/kapouer/marked-man/archive/refs/tags/0.7.0.tar.gz
#
#####
MARKED_MAN_VERSION = 0.7.0
MARKED_MAN_SOURCE = $(MARKED_MAN_VERSION).tar.gz
MARKED_MAN_SITE =
https://github.com/kapouer/marked-man/archive/refs/tags

MARKED_MAN_DEPENDENCIES = nodejs marked

define MARKED_MAN_INSTALL_TARGET_CMDS
    npm install -g --prefix "$(TARGET-DIR)"/usr "$(@D)"/marked-man-
$(MARKED_MAN_VERSION).tgz
    install -d "$(TARGET-DIR)"/usr/share/licenses/marked-man
    ln -s ../../../../lib/node_modules/marked-man/LICENSE "$(TARGET-
DIR)"/usr/share/licenses/marked-man/LICENSE
endef

$(eval $(generic-package))
EOF

sed -i '/menu "Custom packages"/a source "package/marked-man/Config.in" '
/data/buildroot/package/Config.in

```

From:

<http://www.ouarte.garden/> - **dwndoc**

Permanent link:

<http://www.ouarte.garden/doku.php?id=buildroot:marked-man>

Last update: **2025/02/19 10:59**

