

nm-tray

Pure Qt NetworkManager front-end residing in panels

runtime dependencies	networkmanager-qt
make dependencies	qt5tools

```
mkdir /data/buildroot/package/nm-tray
cat > /data/buildroot/package/nm-tray/Config.in<< 'EOF'
config BR2_PACKAGE_NM_TRAY
    bool "nm-tray"
    depends on BR2_PACKAGE_NETWORKMANAGER_QT
    depends on BR2_PACKAGE_QT5TOOLS
    help
        Pure Qt NetworkManager front-end residing in panels
EOF

cat > /data/buildroot/package/nm-tray/nm-tray.mk<< 'EOF'
#####
#
# nm-tray
#https://github.com/palinek/nm-tray/archive/refs/tags/0.5.0.tar.gz
#####
NM_TRAY_VERSION = 0.5.0
NM_TRAY_SOURCE = $(NM_TRAY_VERSION).tar.gz
NM_TRAY_SITE = https://github.com/palinek/nm-tray/archive/refs/tags

NM_TRAY_DEPENDENCIES = networkmanager-qt qt5tools
NM_TRAY_INSTALL_TARGET = YES
NM_TRAY_SUPPORTS_IN_SOURCE_BUILD = NO
NM_TRAY_CONF_OPTS = -
DCMAKE_TOOLCHAIN_FILE=$(HOST_DIR)/share/buildroot/toolchainfile.cmake \
-
DKF5NetworkManagerQt_DIR=$(TARGET_DIR)/usr/lib/cmake/KF5NetworkManagerQt \
-DMAKE_INSTALL_PREFIX=/usr

define NM_TRAY_CONFIGURE_CMDS
    if [[ ! -L "$(HOST_DIR)/usr/lib/libpcre.so.3" ]]; then ln -s
$(HOST_DIR)/usr/lib/libpcre.so $(HOST_DIR)/usr/lib/libpcre.so.3; fi
    if [[ ! -d $(@D)/buildroot-build ]]; then mkdir $(@D)/buildroot-build; fi
    cd $(@D)/buildroot-build && \
        LDFLAGS="$(LDFLAGS) -pthread -Wl,--as-needed -Wl,--allow-shlib-undefined"
    cmake "$(@D)/" $(NM_TRAY_CONF_OPTS)
endef

$(eval $(cmake-package))
EOF

sed -i '/menu "Custom packages"/a source "package/nm-tray/Config.in"'
```

/data/buildroot/package/Config.in

From:

<http://www.ouarte.garden/> - **dwndoc**

Permanent link:

<http://www.ouarte.garden/doku.php?id=buildroot:nm-tray>

Last update: **2025/02/19 10:59**

