

qps

Qt process manager

runtime dependencies	libgtk3 (Libraries/graphics)
	qt5x11extras (Graphic libraries and applications/Other GUIs)
	liblxqt
make dependencies	qt5tools
	lxqt-build-tools

```

mkdir /data/buildroot/package/qps
cat > /data/buildroot/package/qps/Config.in<< 'EOF'
config BR2_PACKAGE_QPS
    bool "qps"
    depends on BR2_PACKAGE_QT5X11EXTRAS
    depends on BR2_PACKAGE_LIBGTK3
    depends on BR2_PACKAGE_LIBLXQT
    depends on BR2_PACKAGE_QT5TOOLS
    help
        Qt process manager
EOF

cat > /data/buildroot/package/qps/qps.mk<< 'EOF'
#####
#
# qps
#https://github.com/lxqt/qps/archive/refs/tags/2.5.0.tar.gz
#####
QPS_VERSION = 0.11.3
QPS_SOURCE  = $(QPS_VERSION).tar.gz
QPS_SITE    = https://github.com/lxqt/qps/archive/refs/tags

QPS_DEPENDENCIES = qt5x11extras libgtk3 liblxqt qt5tools
QPS_INSTALL_TARGET = YES
QPS_SUPPORTS_IN_SOURCE_BUILD = NO
QPS_CONF_OPTS = -
DCMAKE_TOOLCHAIN_FILE=$(HOST_DIR)/share/buildroot/toolchainfile.cmake \
    -DCMAKE_INSTALL_PREFIX=/usr

define QPS_CONFIGURE_CMDS
    if [[ ! -L "$(HOST_DIR)/usr/lib/libpcre.so.3" ]]; then ln -s
$(HOST_DIR)/usr/lib/libpcre.so $(HOST_DIR)/usr/lib/libpcre.so.3; fi
    if [[ ! -d $(@D)/buildroot-build ]]; then mkdir $(@D)/buildroot-build; fi
    cd $(@D)/buildroot-build && \
        LDFLAGS="$(LDFLAGS) -pthread -Wl,--as-needed -Wl,--allow-shlib-undefined"
    cmake "$(@D)/" $(LQPS_CONF_OPTS)
endef

$(eval $(cmake-package))

```

EOF

```
sed -i '/menu "Custom packages"/a source "package/qps/Config.in" '
/data/buildroot/package/Config.in
```

From:

<http://www.ouarte.garden/> - **dwndoc**

Permanent link:

<http://www.ouarte.garden/doku.php?id=buildroot:qps>

Last update: **2025/02/19 10:59**

