

# GCC-10.2.0

<b>Taille du paquet</b>	978M
<b>Somme de contrôle SHA256</b>	c29561b33f03791ded5727f4b627aaf26d7254586cdb54631a2ae8bcc4acd9b4
<b>Estimation du temps de construction</b>	4072.494 seconds

```

TIMEFORMAT='(BUSYBOX) Compilation de gcc-10.2.0 en %R seconds ...'
time {
wget https://ftp.gnu.org/gnu/gcc/gcc-10.2.0/gcc-10.2.0.tar.xz -O
${LFS}/download/gcc-10.2.0.tar.xz --no-check-certificate &&
md5sum -c <<<"e9fd9b1789155ad09bcf3ae747596b50
${LFS}/download/gcc-10.2.0.tar.xz" &&
rm -Rf ${LFS}/src/gcc-10.2.0 &&
tar xf ${LFS}/download/gcc-10.2.0.tar.xz -C ${LFS}/src &&
cd ${LFS}/src/gcc-10.2.0 &&
case $(uname -m) in
  x86_64)
    sed -e '/m64=/s/lib64/lib/' \
        -i.orig gcc/config/i386/t-linux64
    ;;
esac &&
mkdir -v build &&
cd      build &&
../configure --prefix=/usr          \
             LD=ld                  \
             --enable-languages=c,c++ \
             --disable-multilib      \
             --disable-bootstrap    \
             --with-system-zlib &&
make &&
make DESTDIR=$PWD/_pkg install &&
rm -rf _pkg/usr/lib/gcc/$(gcc -dumpmachine)/10.2.0/include-fixed/bits/ &&
chown -v -R root:root \
    _pkg/usr/lib/gcc/*linux-gnu/10.2.0/include{,-fixed} &&
ln -sv ../usr/bin/cpp _pkg/lib &&
install -v -dm755 _pkg/usr/lib/bfd-plugins &&
ln -sfv ../../libexec/gcc/$(gcc -dumpmachine)/10.2.0/liblto_plugin.so \
    _pkg/usr/lib/bfd-plugins/ &&
mkdir -pv _pkg/usr/share/gdb/auto-load/usr/lib &&
mv -v _pkg/usr/lib/*gdb.py _pkg/usr/share/gdb/auto-load/usr/lib &&
strip _pkg/usr/bin/*
strip _pkg/usr/lib/gcc/*
tar -C _pkg/ -cvf ${LFS}/pkg/gcc-10.2.0.tar.gz ./ &&
cd "${LFS}/"
}

```

From:

<http://vps101364.serveur-vps.net/> - **dwndoc**

Permanent link:

<http://vps101364.serveur-vps.net/doku.php?id=lfs:pkg:gcc-10.2.0>

Last update: **2025/02/19 10:59**

