

linux-5.4.8

Taille du paquet	208M
Somme de contrôle SHA256	5b69d33dd8b28fad66f5c5022b0f848d3090c905f2523ea2683f4450971e52bd
Estimation du temps de construction	13411.521 secondes

File systems —

|
>

<*/M> FUSE (Filesystem in Userspace) support [CONFIG_FUSE_FS]

F

ile systems —

|
>

<*/M> Btrfs filesystem support [CONFIG_BTRFS_FS]

F

ile systems —

|
>

<*/M> XFS filesystem support [CONFIG_XFS_FS]

F

ile systems —

|
>

```
[*] Network File Systems ---> [CONFIG_NETWORK_FILESYSTEMS]
  <*/M> NFS client support      [CONFIG_NFS_FS]
  <*/M> NFS server support      [CONFIG_NFSD]
```

[

] Networking support —> [CONFIGNET] Networking Options —> [] Network packet filtering framework

(Netfilter) → [CONFIG_NETFILTER] [*] Advanced netfilter configuration
 [CONFIGNETFILTERADVANCED] Core Netfilter Configuration → </M> Netfilter connection tracking support [CONFIGNFCONNTRACK] </M> Netfilter Xtables support (required for iptables) [CONFIGNETFILTERXTABLES] </M> LOG target support [CONFIGNETFILTERXTTARGETLOG] IP: Netfilter Configuration → </M> IP tables support (required for filtering/masq/NAT) [CONFIGIPNFIPTABLES] Device Drivers → [] Multiple devices driver support (RAID and LVM) → [CONFIGMD] </M> Device mapper support [CONFIGBLKDEVD] </M> > Crypt target support [CONFIGDMCRYPT] </M> > Snapshot target [CONFIGDMSNAPSHOT] </M> > Thin provisioning target [CONFIGDMTHINPROVISIONING] </M> > Mirror target [CONFIGDMMIRROR] Kernel hacking → [] Magic SysRq key [] Networking support → [CONFIGNET] Networking options → <*/M> 802.1d Ethernet Bridging [CONFIGBRIDGE] General setup → [] Control Group support [CONFIGCGROUPS] File systems → [] Inotify support for userspace [CONFIGINOTIFYUSER] Pseudo filesystems → [*] Tmpfs POSIX Access Control Lists [CONFIGTMPFSPOSIXACL]

```
TIMEFORMAT='(BUSYBOX) Compilation de linux-5.4.8 en %R seconds ...'
```

```
time {
cd ${LFS}/src/linux-5.4.8 &&
./scripts/config -d CONFIG_SYSFS_DEPRECATED &&
./scripts/config -d CONFIG_SYSFS_DEPRECATED_V2 &&
./scripts/config -e CONFIG_FHANDLE &&
./scripts/config -d CONFIG_AUDIT &&
./scripts/config -e CONFIG_CGROUPS &&
./scripts/config -e CONFIG_NAMESPACES &&
./scripts/config -e CONFIG_UTS_NS &&
./scripts/config -e CONFIG_IPC_NS &&
./scripts/config -e CONFIG_PID_NS &&
./scripts/config -e CONFIG_NET_NS &&
./scripts/config -e CONFIG_OVERLAY_FS &&
./scripts/config -e CONFIG_SECCOMP &&
./scripts/config -e CONFIG_IPV6 &&
./scripts/config -d CONFIG_UEVENT_HELPER &&
./scripts/config -e CONFIG_DEVTMPFS &&
./scripts/config -d CONFIG_FW_LOADER_USER_HELPER &&
./scripts/config -e CONFIG_DMIID &&
./scripts/config -e CONFIG_INOTIFY_USER &&
./scripts/config -e CONFIG_AUTOFS4_FS &&
./scripts/config -e CONFIG_TMPFS_POSIX_ACL &&
./scripts/config -e CONFIG_TMPFS_XATTR &&
./scripts/config -d CONFIG_UNWINDER_FRAME_POINTER &&
./scripts/config -e CONFIG_EFI_STUB &&
./scripts/config -e CONFIG_FUSE_FS &&
./scripts/config -e CONFIG_BTRFS_FS &&
./scripts/config -e CONFIG_XFS_FS &&
./scripts/config -e CONFIG_NETWORK_FILESYSTEMS &&
./scripts/config -e CONFIG_NFS_FS &&
./scripts/config -e CONFIG_NFSD &&
./scripts/config -e CONFIG_NET &&
./scripts/config -e CONFIG_NETFILTER &&
./scripts/config -e CONFIG_NETFILTER_ADVANCED &&
./scripts/config -e CONFIG_NF_CONNTRACK &&
```

```
./scripts/config -e CONFIG_NETFILTER_XTABLES &&
./scripts/config -e CONFIG_NETFILTER_XT_TARGET_LOG &&
./scripts/config -e CONFIG_IP_NF_IPTABLES &&
./scripts/config -e CONFIG_MD &&
./scripts/config -e CONFIG_BLK_DEV_DM &&
./scripts/config -e CONFIG_DM_CRYPT &&
./scripts/config -e CONFIG_DM_SNAPSHOT &&
./scripts/config -e CONFIG_DM_THIN_PROVISIONING &&
./scripts/config -e CONFIG_DM_MIRROR &&
./scripts/config -e CONFIG_MAGIC_SYSRQ &&
./scripts/config -e ONFIG_NET &&
./scripts/config -e CONFIG_BRIDGE &&
./scripts/config -e CONFIG_MSDOS_FS &&
./scripts/config -e CONFIG_VFAT_FS &&
yes '' | LANG=fr_FR.UTF-8 make &&
yes '' | LANG=fr_FR.UTF-8 make modules_install &&
install -d _pkg/usr/share/doc/linux-5.4.8 &&
install -d _pkg/boot/ &&
cp -rvf Documentation/* _pkg/usr/share/doc/linux-5.4.8 &&
cp -avf arch/x86_64/boot/bzImage "/boot/vmlinuz-`sha256sum
"arch/x86_64/boot/bzImage" | cut -d" " -f1`"
cp -avf arch/x86_64/boot/bzImage "_pkg/boot/vmlinuz-`sha256sum
"arch/x86_64/boot/bzImage" | cut -d" " -f1`"
cp -avf System.map /boot/System.map-5.4.8 &&
cp -avf System.map _pkg/boot/System.map-5.4.8 &&
cp -avf .config /boot/config-5.4.8 &&
cp -avf .config _pkg/boot/config-5.4.8 &&
lsmod | sed 's/ .*$/g' | sed 's/^.*$/find \lib/modules/5.4.8/ -type f
-name &*g' >modules-actifs &&
bash modules-actifs | sed 's/^.*$/\rootfs/bin/rsync -Rav &
\src/linux-5.4.8/_pkg/ /g' >modules-list &&
bash modules-list &&
tar -C _pkg/ -cvf ${LFS}/pkg/linux-5.4.8.tar.gz ./ &&
cd "${LFS}/"
}
```

From:

<http://vps101364.serveur-vps.net/> - dwndoc

Permanent link:

<http://vps101364.serveur-vps.net/doku.php?id=ifs:pkg:linux-5.4.8>

Last update: **2025/02/19 10:59**

